





Welcome to David Bailey Furniture Systems' range of fitted furniture for the education sector. Our range of products have been specially designed and developed to meet the everyday needs of all types of education environments, from schools to universities, art rooms, classrooms and staff areas. Being especially robust, they are also well-suited to special needs and secure unit learning establishments.


Our education furniture range is both durable and aesthetically attractive. It offers a comprehensive variety of storage units, bookcases, worktops and sundries, together with bespoke designs. All units are available with locks and in a wide choice of colours.

We offer expert advice, short lead-times, as well as national delivery, and an installation service if required.

Established in 1982, we have built a reputation for excellent service and we are a leading manufacturer and supplier to a range of markets beyond the education sector. Our furniture has been widely specified for use in hospitals throughout the UK, health centres and surgeries, along with veterinary centres and prisons, for instance.

For more information, visit www.davidbaileyfurniture.co.uk or call us today on 01843 604896. We look forward to hearing from you.

Trevor Gillman
Managing Director, David Bailey Furniture Systems



All base and wall unit carcasses are of 18mm thick, rigid dowelled construction with white, melamine faced, 120gram matt, MFC (melamine-faced chipboard). All exposed edges are melamine-edged to ensure a smooth finish.

NB: Grey, beech or ash MFC carcasses are available if requested.

Back panels to base and wall units are of 12mm thick, white MFC, grooved into side panels. Sink base units have convenient, easily removable back panels fixed with cups and screws to battens.

All base and wall units include an 18mm thick MFC shelf, which can be adjusted to three positions as required. Extra shelves can, of course, be supplied if requested.

Double base units in width size 1000mm, have a centre division to facilitate the fitting of drawers; highline units feature a central muntin. All double units 1200mm wide have a centre division.

All base units are delivered complete with a 100mm moisture resistant black laminate plinth.

Base and wall unit frontage are 15mm MDF (medium density fibreboard) faced, with plastic laminate to a chosen colour from our extensive range, with 2mm pvc lipping.

All cupboard doors are hung on 170° high-quality, durable Blum metal hinges, with either 'D' or recessed handles, as requested.

Drawers are white enamel finished, Blum metabox system, ensuring a smooth operation with 12mm, white MFC base and 18mm, white MFC back.

***David Bailey Furniture Systems Ltd has a policy of continuous improvement and therefore reserves the right to alter the cabinet specifications without prior notice.**




Cabinet Specifications	3
Base Units	4
Base Storage Trays	6
Wall Units	7
Tall Storage Trays	8
Tall Units & Bookcases	9
Worktops	10
Worktop Supports	12
Infills & Panels	13
Lockers	14
Handles	17



High Units - 860mm
(includes 100mm plinth)

Low Units - 700mm high
(includes 100mm plinth)

555mm - Deep carcass



DOUBLE BASE UNIT

2 Doors

1 Adjustable shelf

High Units	Code
800mm wide	EF/B8
1000mm wide	EF/B10
1200mm wide	EF/B12

Low Units

800mm wide	EF/LB8
1000mm wide	EF/LB10
1200mm wide	EF/LB12

N.B. Add 'RB' at end of code for removable back panel if required, e.g. EF/B10/RB.

CORNER BASE UNIT

1 Door

1 Adjustable shelf

1 Blank panel

1 Corner post

High Units	Code
1000mm wide	EF/CB10
1200mm wide	EF/CB12




N.B. Add 'LH' or 'RH' at end of code to identify side of blank panel, e.g. EF/CB10/RH (as illustrated).

CORNER BASE UNIT

1 Bi-fold door

1 Adjustable shelf

Units	Code
900mm x 900mm	EF/CB9



SINGLE BASE UNIT

1 Door

1 Adjustable shelf

High Units	Code
400mm wide	EF/B4
500mm wide	EF/B5
600mm wide	EF/B6
Low Units	
400mm wide	EF/LB4
500mm wide	EF/LB5
600mm wide	EF/LB6

DRAWERLINE BASE UNIT

1 & 2 Door

1 & 2 Drawer

1 Adjustable shelf

High Units	Code
400mm wide	EF/BD4
500mm wide	EF/BD5
600mm wide	EF/BD6
800mm wide	EF/BD8
1000mm wide	EF/BD10
1200mm wide	EF/BD12

N.B. For fixed drawer, add 'LHF' or 'RHF' at end of code for left drawer fixed or right drawer fixed, e.g. EF/BD10/LHF.

DRAWER UNIT


High Units	Code
500mm wide 3 drawer	EF/3DP5
500mm wide 4 drawer	EF/4DP5
500mm wide 5 drawer	EF/5DP5
600mm wide 3 drawer	EF/3DP6
600mm wide 4 drawer	EF/4DP6
600mm wide 5 drawer	EF/5DP6
Low Units	
500mm wide 3 drawer	EF/L3DP5
500mm wide 4 drawer	EF/L4DP5
600mm wide 3 drawer	EF/L3DP6
600mm wide 4 drawer	EF/L4DP6



High Units - 860mm high
(includes 100mm plinth)

Low Units - 700mm high
(includes 100mm plinth)


555mm - Deep carcass



SINGLE BASE TRAY STORAGE

360mm wide
Open front
6 Tray slides


	Code
360mm wide	EF/BTS



DOUBLE BASE TRAY STORAGE

720mm wide
Open front
12 Tray slides


	Code
720mm wide	EF/BTD







TRIPLE BASE TRAY STORAGE

1080mm wide
Open front
18 Tray slides

	Code
1080mm wide	EF/BTT



600mm high
300mm deep



SINGLE WALL UNIT

1 Door
1 Adjustable shelf

	Code
400mm wide	EF/W4
500mm wide	EF/W5
600mm wide	EF/W6

OPEN WALL UNIT

No doors
2 Fixed shelves

	Code
500mm wide	EF/OW5
600mm wide	EF/OW6
800mm wide	EF/OW8
1000mm wide	EF/OW10
1200mm wide	EF/OW12

CORNER WALL UNIT

1 Door
1 Adjustable shelf

	Code
600mm x	
600mm wide	EF/CW6

DOUBLE WALL UNIT

2 Doors
1 Adjustable shelf
Centre division


	Code
800mm wide	EF/W8
1000mm wide	EF/W10
1200mm wide	EF/W12

N.B. For sliding doors add 'S' at end of code. For glass doors add 'G' at end of code, e.g. EF/W12/SG = 1200mm wide sliding glass doors.



Height - 1900mm
(includes 100mm plinth)


Depth - 555mm



SINGLE TALL TRAY STORAGE

360mm wide
Open front
15 Tray slides


	Code
360mm wide	EF/TTS



DOUBLE TALL TRAY STORAGE

720mm wide
Open front
30 Tray slides


	Code
720mm wide	EF/TTD



TRIPLE TALL TRAY STORAGE

1080mm wide
Open front
45 Tray slides


	Code
1080mm wide	EF/TTT



TALL STORAGE UNIT

1 Door
4 Adjustable shelves
555mm deep carcass
Height 1900mm incl.
100mm plinth


	Code
500mm wide	EF/5TB
600mm wide	EF/6TB



BOOKCASE

5 Adjustable shelves
300mm Deep carcass
Height 1900mm incl.
100mm plinth



	Code
500mm wide	EF/5BC
600mm wide	EF/6BC
800mm wide	EF/8BC
1000mm wide	EF/10BC



DEEP BOOKCASE

5 Adjustable shelves
555mm Deep carcass
Height 1900mm incl.
100mm plinth

	Code
500mm wide	EF/5DBC
600mm wide	EF/6DBC
800mm wide	EF/8DBC
1000mm wide	EF/10DBC




POSTFORMED

Postformed worktops are extremely durable and are principally suited to school environments, or any areas of continuous use. We offer a choice of pastel and primary colours to suit your scheme.

Code

BF/2500/600

Depth
Length




UPSTAND

50mm high postformed laminate loose upstand.

Code

PFUP/2000

Length




TIMBER-EDGED

Timber-edged worktops are particularly suitable for general office environments. The work surfaces are available in linoleum or laminate with edging in beech or ash.

Code

TFW/2500/600

Depth
Length



UPSTAND

50mm high solid hardwood loose upstand in beech.

Code

BUP/2000

Length

N.B. Price and delivery may vary depending upon finishes specified.




SOLID LAMINATE

Solid grade laminate worktops are appropriate for use in laboratories and science blocks. Solid laminate provides excellent resistance from solvents, good resistance against heat, and some protection against acid attacks and discolouration, together with excellent durability.

Code

LA/2500/600

Depth
Length



UPSTAND

50mm high solid laminate loose upstand.

Code

SLU/2000

Length



IROKO HARDWOOD


Iroko worktops are also suitable for laboratory applications. These worktops have a durable surface with resistance against attacks from acids, solvents, discolouration and heat.

Code

IHW/2500/600

Depth
Length

N.B. Thickness may vary.




UPSTAND

50mm high solid Iroko loose upstand.

Code

IUP/2000


Length



SINGLE LEG SUPPORT

White powder-coated leg, 30mm diameter, with plastic insert to bottom fixed to floor and 80mm x 50mm adjustable plate fixed to underside of worktop.


	Code
900mm Finished work surface height	EF/SL/900
740mm Finished work surface height	EF/SL/740



CANTILEVER LEG

White powder-coated bracket, 25mm box section fixed to wall and worktop, and resting on floor (with adjustable foot).


	Code
900mm Finished work surface height	EF/CB/900
740mm Finished work surface height	EF/CB/740



H FRAME

White powder-coated frame, 25mm box section, fixed to underside of worktop (with adjustable feet).

	Code
900mm Finished work surface height	EF/HF/900
740mm Finished work surface height	EF/HF/740



WALL INFILL

18mm thick white melamine, or finish to match wall units, including top and bottom.

Code

EF/WI/100/600



FRONT INFILL

18mm thick white melamine, or finish to match base cupboards, with 100mm black plinth set back to match base units.

Code

EF/FIF/200/860



SIDE INFILL

18mm thick white melamine, or finish to match base cupboards, with 100mm black plinth finished flush with face.

Code

EF/SI/600/860




PLAIN PANEL

18mm thick white melamine, or finish to match base cupboards.


Code

EF/PP/600/860



All Lockers Shown


Doors hung on 90 degree hinges with locks and number disc to each door. Back set in 12mm with sides to floor and 100mm high kick board to front.



THREE DOOR LOCKER

L/H with laminated and single shelf to each compartment.


	Code
300mm width	LOC/3/3/6
500mm depth	
1900mm height	



FOUR DOOR LOCKER

Laminated paired doors and single shelf to each compartment. Unit constructed with over sailing top and 18mm vertical and horizontal divisions.


	Code
600mm width	LOC/4/3/6
500mm depth	
1300mm height	



FOUR DOOR LOCKER

Laminated paired doors. Unit constructed with over sailing top and 18mm vertical and horizontal divisions.

	Code
900mm width	LOC/4/4/4
500mm depth	
1000mm height	



All Lockers Shown

Unit constructed with over sailing top and 18mm vertical and horizontal divisions, back set in 12mm with sides to floor an 100mm high kick board to front.



SIX DOOR LOCKER

Six door locker with laminated paired doors hung on 90 degree hinges with locks and number disc to each door.


	Code
600mm width	LOC/6/3/3
500mm depth	
1000mm height	



SIX DOOR LOCKER

Six door locker with laminated paired doors hung on 90 degree hinges with locks and number disc to each door and single shelf to each compartment. Unit also constructed with over sailing top.

	Code
600mm width	LOC/6/3/6
500mm depth	
1900mm height	



SIX DOOR LOCKER


Six door locker with laminated L/H doors hung on 90 degree hinges with locks and number disc to each door.

	Code
1350mm width	LOC/6/4/4
500mm depth	
1000mm height	



All Lockers Shown

Unit constructed with 18mm vertical and horizontal divisions, back set in 12mm with sides to floor and 100mm high kick board to front, (Constructed in two sections to be fixed together on site).



EIGHT DOOR LOCKER

Laminated paired doors hung on 90 degree hinges with locks and number disc to each door.


	Code
900mm width	LOC/8/4/4
500mm depth	
1900mm height	



TWELVE DOOR LOCKER

Laminated paired doors hung on 90 degree hinges with locks and number disc to each door.

	Code
600mm width	LOC/12/3/3
500mm depth	
1900mm height	




TWELVE DOOR LOCKER

Laminated L/H doors hung on 90 degree hinges with locks and number disc to each door.

	Code
1350mm width	LOC/12/4/4
500mm depth	
1900mm height	



'D' HANDLES



'D' HANDLE COLOURS






GET A GRIP ON DAVID BAILEY FURNITURE

We offer four types of 'D' handle and a recessed handle option with the Education range.

Both small and large 'D' handles are made from nylon and available in the colours shown. The polished chromium plated 'D' handle is made from die-cast steel. New in the range is the SAA 'D' handle. All 'D' handles are fixed by two countersunk screws through the back of the doors and drawers.

RECESSED HANDLES



The recessed handle, also made from nylon, is glued and screwed into the unit doors and drawers. Recessed handles are available in five colours: black, white, brown, grey and ivory.



DAVID  BAILEY
FURNITURE SYSTEMS LIMITED

For further information, help or advice on our education furniture range, please contact:

David Bailey Furniture Systems Ltd

12 Lysander Close
Pysons Road Industrial Estate
Broadstairs
Kent
CT10 2YJ

Tel: 01843 604896
Fax: 01843 862388
sales@davidbaileyfurniture.co.uk
www.davidbaileyfurniture.co.uk



INVESTOR IN PEOPLE

Designed and produced by PRG Publicity Ltd.
www.prgltd.co.uk